



# MILK SAMPLE RESULTS for 21 SEPTEMBER 2021



Analysed by: Mérieux NutriSciences, Midrand E-mail: za.customercare@mxns.com

Sample temperature at lab: 2.8 °C. Avg., max., min. & CV% are only those of cow's milk

Sample Number	Bacto Count cfu x 1K/ml	Butterfat %	Protein %	Lactose %	SCC x1K/ml	Milk Urea Nitrogen mgN/dl	Name
<b>Avg*</b>	<b>22</b>	<b>3.66</b>	<b>3.28</b>	<b>4.81</b>	<b>201</b>	<b>12.9</b>	<b>* Trimmed mean, 20% excluded</b>
<b>Max</b>	<b>107</b>	<b>5.53</b>	<b>3.71</b>	<b>4.95</b>	<b>478</b>	<b>17.4</b>	<b>44 cow's milk but 9 excluded</b>
<b>Min</b>	<b>6</b>	<b>3.11</b>	<b>3.02</b>	<b>4.65</b>	<b>34</b>	<b>2.1</b>	
<b>CV%</b>	<b>86%</b>	<b>14%</b>	<b>5%</b>	<b>1%</b>	<b>51%</b>	<b>23%</b>	



Specif. Raw Milk	Unofficial: <200,000	> 3.3	> 3.0	4.5 – 5.1	< 500,000	12 – 18	Name	Total plate count: <20,000/ml
36254	9	3.55	3.14	4.78	99	15.3		-
37541	25	3.89	3.49	4.69	106	16.0		-
37560	16	3.19	3.04	4.76	320	10.8		-
37561	107	3.61	3.24	4.83	105	14.5		-
37570		4.17	3.54	4.77	243	2.1		-
37571	27	3.47	3.24	4.85	172	15.6		-
37572	53	5.10	3.28	4.95	34			-
37986	21	3.64	3.46	4.78	259	12.0		-
38013	47	4.62	3.57	4.71	478	14.7		-
38030	69	3.51	3.41	4.80	276	16.1		-
38070	36	4.40	3.23	4.82	299	16.2		-
38071	93	3.20	3.13	4.82	162	12.1		-
38083	46	4.41	3.46	4.81	358	14.6		-
38084	57	3.73	3.32	4.74	119	12.8		-
38085	13	3.28	3.14	4.76	450	13.7		-
38086	10	3.68	3.20	4.74	287	16.3		-
38111	16	3.55	3.15	4.89	72	12.3		9,500
38114	16	3.27	3.50	4.86	213	12.9		21,000
38141	8	3.29	3.13	4.76	191	10.5		-
38150	37	3.11	3.15	4.78	430	10.9		-
38153	50	4.27	3.56	4.88	211	11.2		-
38186	18	3.25	3.22	4.80	162	12.2		-
38187	12	3.53	3.18	4.91	112	11.5		-
38207	9	4.22	3.71	4.65	228	17.4		-
38208	12	5.53	3.35	4.73	345	11.2		-
38209	11	4.64	3.60	4.74	135	13.9		-
38218	16	3.81	3.45	4.85	247	16.5		-
38242	7							-
38243	6	3.86	3.13	4.85	126	12.3		-
38260	9	4.30	3.81	4.67	438	15.2		-
38262		4.03	3.78	4.76	374	5.7		-
38265	29	3.65	3.40	4.81	279	12.2		-
38266	16	3.76	3.16	4.84	113	13.4		-
38339	11	3.55	3.17	4.77	123	15.1		-
38359	9	3.52	3.02	4.79	138	12.6		-

Sample Number	Bacto Count cfu x 1K/ml	Butterfat %	Protein %	Lactose %	SCC x1K/ml	Milk Urea Nitrogen mgN/dl	Name	 
38375	13	3.44	3.23	4.84	284	12.1		8,251
38376	10	3.45	3.07	4.76	402	10.3		10,175
38410	23	3.46	3.29	4.79	145	12.1		-
38411	25	3.41	3.19	4.84	110	11.4		-
38433	14	3.47	3.21	4.87	159	9.9		-
38435	14	3.47	3.06	4.80	126	15.1		-
38490	21	3.60	3.30	4.84	88	12.5		-
38491	15	3.45	3.26	4.85	262	12.0		-
38493	33	3.79	3.53	4.89	223	6.2		-
38494	9	3.48	3.30	4.92	131	13.1		-
38568	53	3.62	3.31	4.76	264	7.4		-

— END OF REPORT —